




Center ID	TC155131
-----------	----------

UKSDM CENTER INSPECTION VISIT REPORT


Center Details

Partner Name	SAMARPAN SEWA SANSTHAN
Center Name	DL ROAD DEHRADUN SAMARPAN
Center SPOC Name	Satya Choudhry
Center SPOC Contact	8445444477
Center Location (Address)	3rd floor Gujral tower DL Road Dehradun
Center State	UTTRAKHAND
Center District	Anantapur





Verifier Details






























Date of Visit	12 Aug 2022	
Verifier Name	arvind	
Verifier Contact	8859742519	
Verifier Designation	IT	






































Respondent Details

Respondent Name	rajiv	
Contact Number	8130560794	
Designated at Center	dehradun	

General Infrastructure

Questions	Answer	Remarks
Reception	No	 Image not found or type unknown
UKSDM Branding at the Cente	No	 Image not found  Image not found  Image not found or type unknown


Drinking Water Facility	No	
Biometric	No	
Ramp	No	
Projector	No	
CCTV	No	
Total Computer In Lab	0	  
Total Sitting Capacity	0	 
Toilet Facility (Male)	8	
Toilet Facility (Female)	2	
Status of the Hygiene	4.0	
Power Backup	No	
Classroom	0	       
Library	0	       

Counselling Room	0	           
Other Lab	0	           
Pantry	0	           
Total No. of Student	25	
Group Photo		

Running Batch Details						
Batch Code	Jobrole	Start Date	End Date	Batch Timing	Batch Strength	Candidate present
2044065	General Duty Assistant Advanced	2022-02-17	2022-09-29	09:00:00	30	6

Student Answer					
Student ID	The usefulness of the information received in training.	The convenience of training schedule.	The Trainer having knowledge of Jobrole being taught.	Ability of Trainer to explain and illustrate concepts.	Computer and soft skills being provided.
CAN_14811609	excellent	excellent			

Trainers Details					
Name	Phone	Email	Work Exp	No. of Batches per day	Certification

Equipments Availability		
Questions	Answer	Remarks
Puncture Proof Container	3	

Review & Comments	
Overall Rating to the Center	*****
Comments	good